

Massive Photonics アイテムリスト

型番	製品名	品目
1	2001	Massive-AB 1-Plex Labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-mouse (0.5 mg/mL, 100 μ L) Imager-Strand 1: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
2	2002	Massive-AB 1-Plex Labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-mouse (0.5 mg/mL, 100 μ L) Imager-Strand 1: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
3	2003	Massive-AB 1-Plex Labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-rabbit (0.5 mg/mL, 100 μ L) Imager-Strand 2: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
4	2004	Massive-AB 1-Plex Labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-rabbit (0.5 mg/mL, 100 μ L) Imager-Strand 2: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
5	2005	Massive-AB 1-Plex Labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-rat (0.5 mg/mL, 100 μ L) Imager-Strand 3: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
6	2006	Massive-AB 1-Plex Labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-rat (0.5 mg/mL, 100 μ L) Imager-Strand 2: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
7	2007	Massive-AB 1-Plex Labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-goat (0.5 mg/mL, 100 μ L) Imager-Strand 2: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
8	2008	Massive-AB 1-Plex Labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-goat (0.5 mg/mL, 100 μ L) Imager-Strand 2: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
9	2009	Massive-AB 1-Plex Labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-guinea pig (0.5 mg/mL, 100 μ L) Imager-Strand 5: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)

型番	製品名	品目
10	2010	Massive-AB 1-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-guinea pig(0.5 mg/mL, 100 µL) Imager-Strand 2: ATTO 655 (1 µM, 300 µL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
11	2101	Massive-AB 2-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody 1: Anti-mouse (0.5 mg/mL, 100 µL) Secondary antibody 2: Anti-rabbit (0.5 mg/mL, 100 µL) Imager-Strand 1: Cy3B (1 µM, 300 µL) Imager-Strand 2: ATTO 655 (1 µM, 300 µL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
12	2102	Massive-AB 2-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody 1: Anti-mouse (0.5 mg/mL, 100 µL) Secondary antibody 2: Anti-rabbit (0.5 mg/mL, 100 µL) Imager-Strand 1: ATTO 655 (1 µM, 300 µL) Imager-Strand 2: Cy3B (1 µM, 300 µL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
13	2103	Massive-AB 2-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody 1: Anti-mouse (0.5 mg/mL, 100 µL) Secondary antibody 3: Anti-rat (0.5 mg/mL, 100 µL) Imager-Strand 1: Cy3B (1 µM, 300 µL) Imager-Strand 3: ATTO 655 (1 µM, 300 µL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
14	2104	Massive-AB 2-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody 1: Anti-mouse (0.5 mg/mL, 100 µL) Secondary antibody 3: Anti-rat (0.5 mg/mL, 100 µL) Imager-Strand 1: ATTO 655 (1 µM, 300 µL) Imager-Strand 3: Cy3B (1 µM, 300 µL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
15	2105	Massive-AB 2-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody 3: Anti-rat (0.5 mg/mL, 100 µL) Secondary antibody 2: Anti-rabbit (0.5 mg/mL, 100 µL) Imager-Strand 3: Cy3B (1 µM, 300 µL) Imager-Strand 2: ATTO 655 (1 µM, 300 µL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
16	2106	Massive-AB 2-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody 3: Anti-rat (0.5 mg/mL, 100 µL) Secondary antibody 2: Anti-rabbit (0.5 mg/mL, 100 µL) Imager-Strand 3: ATTO 655 (1 µM, 300 µL) Imager-Strand 2: Cy3B (1 µM, 300 µL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)

型番	製品名	品目
17	2107	Massive-AB 2-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody 1: Anti-mouse (0.5 mg/mL, 100 μ L) Secondary antibody 2: Anti-rabbit (0.5 mg/mL, 100 μ L) Imager-Strand 1: Cy3B (1 μ M, 300 μ L) Imager-Strand 2: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
18	2108	Massive-AB 2-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody 1: Anti-mouse (0.5 mg/mL, 100 μ L) Secondary antibody 3: Anti-rat (0.5 mg/mL, 100 μ L) Imager-Strand 1: Cy3B (1 μ M, 300 μ L) Imager-Strand 3: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
19	2109	Massive-AB 2-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody 3: Anti-rat (0.5 mg/mL, 100 μ L) Secondary antibody 2: Anti-rabbit (0.5 mg/mL, 100 μ L) Imager-Strand 3: Cy3B (1 μ M, 300 μ L) Imager-Strand 2: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
20	2110	Massive-AB 2-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody 1: Anti-mouse (0.5 mg/mL, 100 μ L) Secondary antibody 3: Anti-rat (0.5 mg/mL, 100 μ L) Imager-Strand 1: ATTO 655 (1 μ M, 300 μ L) Imager-Strand 3: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
21	2111	Massive-AB 2-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody 1: Anti-mouse (0.5 mg/mL, 100 μ L) Secondary antibody 3: Anti-rat (0.5 mg/mL, 100 μ L) Imager-Strand 1: ATTO 655 (1 μ M, 300 μ L) Imager-Strand 3: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
22	2112	Massive-AB 2-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody 3: Anti-rat (0.5 mg/mL, 100 μ L) Secondary antibody 2: Anti-rabbit (0.5 mg/mL, 100 μ L) Imager-Strand 3: ATTO 655 (1 μ M, 300 μ L) Imager-Strand 2: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
23	2301	Massive-AB 3-Plex
		Labeling-Kit for DNA-PAINT Imaging Secondary antibody 1: Anti-mouse (0.5 mg/mL, 100 μ L) Secondary antibody 2: Anti-rabbit (0.5 mg/mL, 100 μ L) Secondary antibody 3: Anti-rat (0.5 mg/mL, 100 μ L) Imager-Strand 1: Cy3B (1 μ M, 300 μ L) Imager-Strand 2: Cy3B (1 μ M, 300 μ L) Imager-Strand 3: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)

	型番	製品名	品目
24	2302	Massive-AB 3-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary antibody 1: Anti-mouse (0.5 mg/mL, 100 μ L) Secondary antibody 2: Anti-rabbit (0.5 mg/mL, 100 μ L) Secondary antibody 3: Anti-rat (0.5 mg/mL, 100 μ L) Imager-Strand 1: ATTO 655 (1 μ M, 300 μ L) Imager-Strand 2: ATTO 655 (1 μ M, 300 μ L) Imager-Strand 3: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
25	3001	Massive-sdAB 1-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB: Anti-mouse κ LC (5 μ M, 100 μ L) Imager-Strand 1: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
26	3002	Massive-sdAB 1-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB: Anti-mouse κ LC (5 μ M, 100 μ L) Imager-Strand 1: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
27	3003	Massive-sdAB 1-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB: Anti-rabbit IgG (5 μ M, 100 μ L) Imager-Strand 2: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
28	3004	Massive-sdAB 1-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB: Anti-rabbit IgG (5 μ M, 100 μ L) Imager-Strand 2: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
29	3011	Massive-sdAB-FAST 1-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB: Anti-mouse κ LC (5 μ M, 100 μ L) Imager-Strand F1: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
30	3012	Massive-sdAB-FAST 1-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB: Anti-mouse κ LC (5 μ M, 100 μ L) Imager-Strand F1: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
31	3013	Massive-sdAB-FAST 1-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB: Anti-rabbit IgG (5 μ M, 100 μ L) Imager-Strand F2: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)

	型番	製品名	品目
32	3014	Massive-sdAB-FAST 1-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB: Anti-rabbit IgG (5 μ M, 100 μ L) Imager-Strand F2: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
33	3301	Massive-TAG-Q Anti-GFP	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-GFP (5 μ M, 100 μ L) Imager-Strand 3: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
34	3302	Massive-TAG-Q Anti-GFP	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-GFP (5 μ M, 50 μ L) Imager-Strand 3: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
35	3303	Massive-TAG-X2 Anti-GFP	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-GFP (5 μ M, 100 μ L) Imager-Strand 3: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
36	3304	Massive-TAG-X2 Anti-GFP	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-GFP (5 μ M, 50 μ L) Imager-Strand 3: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
37	3305	Massive-TAG Anti-GFP	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-GFP clone 1 (5 μ M, 50 μ L) Single-domain antibody: Anti-GFP clone 2 (5 μ M, 50 μ L) Imager-Strand 3: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
38	3306	Massive-TAG-Q Anti-ALFA	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-ALFA (5 μ M, 100 μ L) Imager-Strand 3: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
39	3307	Massive-TAG-Q Anti-ALFA	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-ALFA (5 μ M, 100 μ L) Imager-Strand 3: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
40	3308	Massive-TAG-Q Anti-mEOS	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-mEOS (5 μ M, 100 μ L) Imager-Strand 3: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)

	型番	製品名	品目
41	3309	Massive-TAG-Q Anti-mEOS	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-mEOS (5 μ M, 100 μ L) Imager-Strand 3: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
42	3310	Massive-TAG-Q Anti-TagFP	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-TagFP (5 μ M, 100 μ L) Imager-Strand 3: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
43	3311	Massive-TAG-Q Anti-TagFP	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-TagFP (5 μ M, 100 μ L) Imager-Strand 3: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
44	3321	Massive-TAG-Q-FAST Anti-GFP	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-GFP (5 μ M, 100 μ L) Imager-Strand F3: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
45	3322	Massive-TAG-Q-FAST Anti-GFP	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-GFP (5 μ M, 100 μ L) Imager-Strand F3: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
46	3323	Massive-TAG-X2-FAST Anti-GFP	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-GFP (5 μ M, 100 μ L) Imager-Strand F3: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
47	3324	Massive-TAG-X2-FAST Anti-GFP	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-ALFA (5 μ M, 100 μ L) Imager-Strand F3: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
48	3325	Massive-TAG-Q-FAST Anti-ALFA	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-ALFA (5 μ M, 100 μ L) Imager-Strand F3: Cy3B (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
49	3326	Massive-TAG-Q-FAST Anti-ALFA	Labeling-Kit for DNA-PAINT Imaging Single-domain antibody: Anti-ALFA (5 μ M, 100 μ L) Imager-Strand F3: ATTO 655 (1 μ M, 300 μ L) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)

	型番	製品名	品目
50	3201	Massive-sdAB 2-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB 1: Anti-mouse κLC (5 μM, 100 μL) Secondary sdAB 2: Anti-rabbit IgG (5 μM, 100 μL) Imager-Strand 1: Cy3B (1 μM, 300 μL) Imager-Strand 2: ATTO 655 (1 μM, 300 μL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
51	3202	Massive-sdAB 2-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB 1: Anti-mouse κLC (5 μM, 100 μL) Secondary sdAB 2: Anti-rabbit IgG (5 μM, 100 μL) Imager-Strand 1: ATTO 655 (1 μM, 300 μL) Imager-Strand 2: Cy3B (1 μM, 300 μL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
52	3203	Massive-sdAB 2-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB 1: Anti-mouse κLC (5 μM, 100 μL) Secondary sdAB 2: Anti-rabbit IgG (5 μM, 100 μL) Imager-Strand 1: Cy3B (1 μM, 300 μL) Imager-Strand 2: Cy3B (1 μM, 300 μL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
53	3204	Massive-sdAB 2-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB 1: Anti-mouse κLC (5 μM, 100 μL) Secondary sdAB 2: Anti-rabbit IgG (5 μM, 100 μL) Imager-Strand 1: ATTO 655 (1 μM, 300 μL) Imager-Strand 2: ATTO 655 (1 μM, 300 μL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
54	3211	Massive-sdAB-FAST 2-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB F1: Anti-mouse κLC (5 μM, 100 μL) Secondary sdAB F2: Anti-rabbit IgG (5 μM, 100 μL) Imager-Strand F1: ATTO 655 (1 μM, 300 μL) Imager-Strand F2: Cy3B (1 μM, 300 μL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
55	3212	Massive-sdAB-FAST 2-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB F1: Anti-mouse κLC (5 μM, 100 μL) Secondary sdAB F2: Anti-rabbit IgG (5 μM, 100 μL) Imager-Strand F1: ATTO 655 (1 μM, 300 μL) Imager-Strand F2: Cy3B (1 μM, 300 μL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
56	3213	Massive-sdAB-FAST 2-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB F1: Anti-mouse κLC (5 μM, 100 μL) Secondary sdAB F2: Anti-rabbit IgG (5 μM, 100 μL) Imager-Strand F1: Cy3B (1 μM, 300 μL) Imager-Strand F2: Cy3B (1 μM, 300 μL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)

	型番	製品名	品目
57	3214	Massive-sdAB-FAST 2-Plex	Labeling-Kit for DNA-PAINT Imaging Secondary sdAB F1: Anti-mouse κLC (5 μM, 100 μL) Secondary sdAB F2: Anti-rabbit IgG (5 μM, 100 μL) Imager-Strand F1: ATTO 655 (1 μM, 300 μL) Imager-Strand F2: ATTO 655 (1 μM, 300 μL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
58	2201	DNA-PAINT starter kit	GATTA-PAINT 80Y Distance: 80 nm Dye: Cy3B Excitation: 559 nm Immobilized on glass-slide Warranty: 3 months at +4 °C Massive-AB 1-PLEX labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-mouse (1 mg/mL, 100 μL) Imager-Strand 1: Cy3B (1 μM, 300 μL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
59	2202	DNA-PAINT starter kit	GATTA-PAINT 80R Distance: 80 nm Dye: ATTO 655 Excitation: 655 nm Immobilized on glass-slide Warranty: 3 months at +4 °C Massive-AB 1-PLEX labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-mouse (1 mg/mL, 100 μL) Imager-Strand 1: ATTO 655 (1 μM, 300 μL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
60	2203	DNA-PAINT starter kit	GATTA-PAINT 80Y Distance: 80 nm Dye: Cy3B Excitation: 559 nm Immobilized on glass-slide Warranty: 3 months at +4 °C Massive-AB 1-PLEX labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-rabbit (1 mg/mL, 100 μL) Imager-Strand 2: Cy3B (1 μM, 300 μL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
61	2204	DNA-PAINT starter kit	GATTA-PAINT 80R Distance: 80 nm Dye: ATTO 655 Excitation: 655 nm Immobilized on glass-slide Warranty: 3 months at +4 °C Massive-AB 1-PLEX labeling-Kit for DNA-PAINT Imaging Secondary antibody: Anti-rabbit (1 mg/mL, 100 μL) Imager-Strand 2: ATTO 655 (1 μM, 300 μL) Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)

	型番	製品名	品目
62	4001	MASSIVE-RESI	Labeling-Kit for RESI Imaging Single-domain antibody: Anti-GFP (F1, F2, F3 and F4) (5 µM, 100 µL) Imager-Strand F1, F2, F3 and F4: Cy3B (each 1 µM, 300 µL) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
63	4004	MASSIVE-RESI	Labeling-Kit for RESI Imaging with Fiducials Single-domain antibody: Anti-GFP (F1, F2, F3 and F4) (5 µM, 100 µL) Imager-Strand F1, F2, F3 and F4: Cy3B (each 1 µM, 300 µL) Blocking/Incubation buffer (60 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL) Fiducials
64	1101	Buffer kit S	Blocking/Incubation buffer (30 mL) 10x washing buffer (20 mL) Imaging buffer (50 mL)
65	1102	Buffer kit M	Blocking/Incubation buffer (2× 30 mL) 10x washing buffer (2× 20 mL) Imaging buffer (2× 50 mL)
66	1103	Buffer kit L	Blocking/Incubation buffer (4× 30 mL) 10x washing buffer (4× 20 mL) Imaging buffer (4× 50 mL)
67	1104	Buffer kit XL	Blocking/Incubation buffer (4× 30 mL) 10x washing buffer (4× 20 mL) Imaging buffer (4× 50 mL)
68	1201	Massive-Imager-1-Cy3B	Sequence for Imager 1 Imager-Strand 1: Cy3B (1 µM, 300 µL)
69	1202	Massive-Imager-1-ATTO 655	Sequence for Imager 1 Imager-Strand 1: ATTO 655 (1 µM, 300 µL)
70	1211	Massive-Imager-2-Cy3B	Sequence for Imager 2 Imager-Strand 2: Cy3B (1 µM, 300 µL)
71	1212	Massive-Imager-2-ATTO 655	Sequence for Imager 2 Imager-Strand 2: ATTO 655 (1 µM, 300 µL)
72	1221	Massive-Imager-3-Cy3B	Sequence for Imager 3 Imager-Strand 3: Cy3B (1 µM, 300 µL)
73	1222	Massive-Imager-3-ATTO 655	Sequence for Imager 3 Imager-Strand 3: ATTO 655 (1 µM, 300 µL)
74	1205	Massive-Imager-F1-Cy3B	Sequence for Imager F1 Imager-Strand F1: Cy3B (1 µM, 300 µL)
75	1206	Massive-Imager-F1-ATTO 655	Sequence for Imager F1 Imager-Strand F1: ATTO 655 (1 µM, 300 µL)

	型番	製品名	品目
76	1215	Massive-Imager-F2-Cy3B	Sequence for Imager F2 Imager-Strand F2: Cy3B (1 μ M, 300 μ L)
77	1216	Massive-Imager-F2-ATTO 655	Sequence for Imager F2 Imager-Strand F2: ATTO 655 (1 μ M, 300 μ L)
78	1225	Massive-Imager-F3-Cy3B	Sequence for Imager F3 Imager-Strand F3: Cy3B (1 μ M, 300 μ L)
79	1226	Massive-Imager-F3-ATTO 655	Sequence for Imager F3 Imager-Strand F3: ATTO 655 (1 μ M, 300 μ L)

All products are for research use only. HS-Code:38220000

